Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	150	@ad<"20000703" and 380/286. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:22
L2	500	@ad<"20000703" and 713/168. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:23
L3	209	@ad<"20000703" and 713/180. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:23
L4	59	(1) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:23
L5	189	(2) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:23
L6	41	(3) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:23
L7	170	(5) and key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:24
L8	125	7 and random	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:24
S1	18	@ad<"20000703" and password and (split share) near2 key and client with password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/31 10:22
S2	2	@ad<"20000703" and password and (split share) near2 key with password and client with password and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/27 09:26
S3 ·	2	@ad<"20000703" and password and (split share) near2 key with password and client with password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/27 10:16

		·				-
S4	12	@ad<"20000703" and jablon.inv.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:07
S5	3	"6226383".URPN.	USPAT	OR	ON	2004/09/27 10:17
S6	0	"6792533".URPN.	USPAT	OR	ON	2004/09/27 10:19
S7	2	("5953424" "6226383").PN.	USPAT	OR ·	ON	2004/09/27 10:20
S8	. 19	yaksha	USPAT	OR	ON	2004/09/27 10:21
S9	12	yaksha and password	USPAT	OR	ON	2004/09/27 10:22
S10	2	@ad<"20000703" and server with (portion) near2 key and client with password	USPAT	OR	ON	2004/09/27 10:37
S11	6	@ad<"20000703" and server with (portion) near2 key and password with portion	USPAT	OR	ON	2004/09/27 10:25
S12	7	@ad<"20000703" and server with (part portion) near2 key and password with portion	USPAT	OR	ON	2004/09/27 10:26
S13	9	@ad<"20000703" and server with (part portion) near2 key and password with (portion part)	USPAT	OR	ON ·	2004/09/27 10:28
S14	4	@ad<"20000703" and server with (part portion) near2 key and password near3 (portion part)	USPAT	OR	ON	2004/09/27 10:31
S15	12	@ad<"20000703" and (plurality several many) near2 (security authentication verification) near2 servers!	USPAT	OR	ON	2004/09/27 10:35
S16	2	("5544322" "5832211").pn.	USPAT	OR	ON	2004/09/27 10:35
S17	. 44.	@ad<"20000703" and server with (portion) near2 key	USPAT	OR	ON	2004/09/27 10:38
S18	80	@ad<"20000703" and server with (portion part) near2 key	USPAT	OR	ON	2004/09/27 10:38
S19	42	(@ad<"20000703" and server with (portion part) near2 key) and password	USPAT	OR	ON	2004/09/27 10:38
S20	4771118	@ad<"20000703"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 13:49
S21	2232	@ad<"20000703" and password with servers	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 13:51

		•				
S22	87	(@ad<"20000703" and password with servers) and combine\$2 with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 13:50
S23 ·	56	((@ad<"20000703" and password with servers) and combine\$2 with key) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 13:50
S24	37	@ad<"20000703" and password and key with split and key with combine\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2004/10/18 14:43
S25	62	@ad<"20000703" and password with authentication and master adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 14:44
S26	1	@ad<"20000703" and password with authentication and master adj key with combine\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 14:44
S27	, 4	@ad<"20000703" and password with authentication and master adj key with combin\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:28
S28	140	@ad<"20000703" and 380/47. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:44
S29	14	(@ad<"20000703" and 380/47. ccls.) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:30
S30	47	@ad<"20000703" and distributed with key with generation	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:31
S31	7	@ad<"20000703" and distributed with key with generation and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:32
S32	2	@ad<"20000703" and password with random with server and client same combin\$5 with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:37
S33	10	@ad<"20000703" and password with random and client same combin\$5 with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:38

S34	11	@ad<"20000703" and password with random and client same (combin\$5 portion pieces) near4 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:38
S35	169	@ad<"20000703" and 380/262. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:48
S36	2	(@ad<"20000703" and 380/262. ccls.) and random with password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:45
S37	29	(@ad<"20000703" and 380/262. ccls.) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:45
S38	172	@ad<"20000703" and 713/194. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:52
S39	44	(@ad<"20000703" and 713/194. ccls.) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:48
S40	182	@ad<"20000703" and 713/183. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 08:42
S41	77	(@ad<"20000703" and 713/183. ccls.) and password with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:52
S42	28	((@ad<"20000703" and 713/183. ccls.) and password with key) and password with (random nonce)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/18 15:52
S43 ·	3	"6226383".URPN.	USPAT	OR	ON	2004/10/19 09:02
S44	4771346	@ad<"20000703"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:07
S45	0	@ad<"20000703" and key with escrow with encrypted with client and key near2 (split portion combin\$5 piece) with servers!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON .	2004/10/19 09:08

				·		
S46	1	@ad<"20000703" and encrypted with client and key near2 (split portion combin\$5 piece) with servers!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:22
S47	144	@ad<"20000703" and key adj escrow	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:22
S48	149	@ad<"20000703" and key adj escrow\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:23
S49	5	((@ad<"20000703" and key adj escrow\$2) and password) and (random nonce) with password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 09:23
S50	65	(@ad<"20000703" and key adj escrow\$2) and password	US-PGPUB; USPAT; EPO; IBM_TDB	ÓR	ON	2004/10/19 15:38
S51	31	(@ad<"20000703" and key adj escrow\$2) and (timestamp time adj stamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 15:38
S52	35	(@ad<"20000703" and key adj escrow\$2) and (timestamp time adj stamp\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/19 15:38
S53	4771346	@ad<"20000703"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 08:43
S54	25	@ad<"20000703" and password and secret and server with (timestamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2004/10/20 08:46
S55	58	@ad<"20000703" and password and secret and server with (timestamp time adj stamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 09:02
S56	9	@ad<"20000703" and password and secret and server with (timestamp time adj stamp) and replay adj attack	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 09:05
S57	79	@ad<"20000703" and kerberos and replay	US-PGPUB; USPAT; EPO; IBM_TDB	OR _.	ON	2004/10/20 09:05

						·
S58	53	@ad<"20000703" and kerberos and replay and (timestamp time adj stamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 12:54
S59	1	@ad<"20000703" and increments with (bad fail\$2) near3 (login log-in)	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2004/10/20 09:49
S60 .	2	@ad<"20000703" and increments with (bad fail\$4) near3 (login log-in)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 09:49
S61	2	@ad<"20000703" and increments with (bad invalid unauthorized fail\$4) near3 (login log-in)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 09:52
S62	16	@ad<"20000703" and server with (save\$2 stor\$5) same replay and (timestamp time adj stamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 13:44
S63	0	@ad<"20000703" and kerberos and stale with delete	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 13:45
S64	1	@ad<"20000703" and kerberos and (stale expir\$5) with delete	US-PGPUB; USPAT; EPO; IBM_TDB	OR ·	ON	2004/10/20 13:45
S65	24	@ad<"20000703" and password and request same (stale expir\$5) with delete	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:36
S66	10	(@ad<"20000703" and password and request same (stale expir\$5) with delete) and (timestamp time adj stamp)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:34
S67	0	@ad<"20000703" and password and (stale expir\$5) with delete same timestamp	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2004/10/20 14:38
S68	1	@ad<"20000703" and password and (stale expir\$5 time) with delete same timestamp	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:52
S69	68	@ad<"20000703" and password and timestamp near2 (stor\$5 record\$3 save\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:52

S70	24	@ad<"20000703" and password and timestamp near2 (stor\$5 record\$3 save\$2) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:59
S71	. 2	@ad<"20000703" and password and timestamp near2 (login)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 14:59
S72	3	@ad<"20000703" and password and timestamp near4 (login)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 15:02
S73	39	@ad<"20000703" and password and timestamp with (login authenticat\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/20 15:03
S74	7	@ad<"20000703" and server with (part portion) near2 key and password with portion	USPAT	OR	ON	2006/03/27 10:32
S75	7	@ad<"20000703" and server with (part portion) near2 key and password with portion	USPAT	OR	ON	2006/03/27 10:32
S76	2	@ad<"20000703" and password and (split share) near2 key with password and client with password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:32
S77	44	(@ad<"20000703" and server with (portion part) near2 key) and password	USPAT .	OR	ON	2006/03/27 10:32
S78	146	@ad<"20000703" and 380/47. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:32
S79	200	@ad<"20000703" and 713/183. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:33
S80	39	(@ad<"20000703" and key adj escrow\$2) and (timestamp time adj stamp\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:32
S81	50	@ad<"20000703" and distributed with key with generation	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:33

S82	-50	(@ad<"20000703" and 713/194. ccls.) and password	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:33
S83	186	@ad<"20000703" and 726/5.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/03/27 10:33